

ALL POSTERS WILL BE ON DISPLAY FOR THE ENTIRE DURATION OF THE SYMPOSIUM. THE PRESENTING AUTHORS MUST STAND BY THEIR POSTER DURING THE POSTER SESSION, ACCORDING TO THE SYMPOSIUM PROGRAM

POSTER SESSIONS
Germplasm, Genomics & Breeding
SNP diversity in an olive germplasm collection - <i>Francesca Taranto, Nunzio d'Agostino, Valentina Fanelli, Valentina di Rienzo, Monica Marilena Miazzi, Stefano Pavan, Samanta Zelasco, Enzo Perri, Cinzia Montemurro</i>
Genetic diversity of wild and cultivated olives in Croatia - <i>Tatjana Klepo, Zlatko Liber, Frane Strikić, Slavko Perica, Angjelina Belaj, Zlatko Šatović</i>
Survey and genetic variability of ancient olive trees in the North-East of the Iberian peninsula - <i>Antonia Ninot, Werner Howad, María Jose Aranzana, Roma Senar, Teresa Adell, Agustí Romero Aroca, Roberto Mariotti, Luciana Baldoni, Angjelina Belaj</i>
Genetic and phenotypic diversity of olive trees from mountain area within the North East of the Iberian peninsula - <i>Antonia Ninot, Werner Howad, Juan F. Hermoso, Agustí Romero Aroca</i>
Genetic relationships between wild and cultivated olives in South of Turkey - <i>Mehmet Koc, Kenan Yildiz, Hakan Cetinkaya, Remzi Ugur, Ozkan Altun, Zerbab Guler</i>
Genetic and agronomic characterization of a Wild Olive Germplasm Collection - <i>Tatjana Klepo, Amani Toumi, Rocio Arías-Calderón, Lorenzo León, Raúl De la Rosa, Angjelina Belaj</i>
Preliminary assessment of centennial olive trees in Lebanon indicates a high potential for selection - <i>Lamis Chalak, Amira Youssef, Bouchaib Khadari, Milad El Riachy</i>
Genotype x environment in olive cultivars comparative trials - <i>Jose Navas, Lorenzo Leon, Juan Cano, Jose G. Escudier, Francisco Martínez, Daniel Pérez, Nicolás Serrano, Gabriel Beltrán, Araceli Sánchez, Raúl de la Rosa</i>
Characterization of early vigour in wild olive germplasm - <i>Lorenzo Leon, Jose F. Navas, Pablo Díaz-Rueda, Angjelina Belaj, José G. Escudier, Raúl De la Rosa, Carlos Carrascosa, José M. Colmenero</i>
Vegetative growth and early bearing in 150 Sicilian accessions - <i>Tiziano Caruso, Placido Volo, Silvia Fretto, Riccardo Lo Bianco, Laura Macaluso</i>
Morphological and pomological characterization of two <i>Olea europea</i> varieties 'Karbuncela' and 'Drobnica' grown on the island of Dugi otok, Croatia - <i>Mia Brkljača, Jasna Rumora, Šime Marčelić, Antonia Juranov</i>
Characteristic features of local olive eco-types on the island of Ugljan, Croatia - <i>Šime Marčelić, Kristijan Franin, Branka Perinčić, Marijana Matek-Šarić, Đani Benčić, Andrija Finka</i>
Biology & Physiology
Water relations in olive trees under cold conditions - <i>David Pérez López, Marta María Moreno Valencia, Housseem Memmi, Ana Centeno Muñoz, Carmen Moreno Valencia</i>
Regenerated plantlets and acclimatization assay from somatic embryos of Moroccan olive tree (<i>Olea europaea</i> L.) 'Dahbia' - <i>Sara Oulbi, Ilham Belkoura, Kenza Loutfi</i>
Preliminary results on the use of meta-Topolin, an efficient cytokinin for zeatin replace on olive micropropagation - <i>Maurizio Micheli, Daniel Fernandes da Silva, Michela Alliegro, Rafael Pio, Daniela Farinelli, Franco Famiani</i>
Volatile compounds of dry leaves from cca. 1500 years old olive tree - <i>Zvonimir Marijanović, Igor Jerković, Josip Gugić, Frane Strikić, Tatjana Klepo</i>
Impact of winter chilling on flowering of olive cultivars 'Koroneiki' and 'Mastoidis' - <i>Ioanna Limperaki, Georgios Koubouris</i>
Heat supply for olive phenology in Uruguay - <i>Mercedes Arias, Paula Code, Juan Pablo Chiarra, Barbara Ferronato, Venancio Riella, Alejandra Borges, Vivian Severino</i>
Impact of extreme events associated to climate change on olive crop in southern Spain - <i>Raul De La Rosa, Ignacio Lorite, Clara Gabaldon-Leal, Angjelina Belaj, Cristina Santos, Lorenzo León, Margarita Ruiz-Ramos, Alfredo Rodríguez, Francisco Orgaz</i>
Gas exchange properties of olive cultivars at the time prior to flowering, during the full bloom and early fruit growth - <i>Gabriela Vuletin Selak, Gvozden Dumičić, Smiljana Goreta Ban, Slavko Perica</i>
The biomass investment in flowering in olive - <i>Franco Famiani, Daniela Farinelli, Raed Alhariri, Andrea Paoletti, Alessandro Baldicchi, Adolfo Rosati</i>
Observations on floral biology of several olive clones ('Leccino') - <i>Susana Bartolini, Raffaella Viti</i>
Flowering and fruit set of olive cultivar 'Arbequina' in Montenegro - <i>Biljana Lazović, Mirjana Adakalić, Draga Jovanović</i>
Relationship between vegetative growth and fruit production in olive cultivar characterized by different vigour - <i>Franco Famiani, Andrea Paoletti, Daniela Farinelli, Raed Alhariri, Alessio Morelli, Adolfo Rosati</i>
Growth and fruit characteristics of introduced olive (<i>Olea europaea</i> L.) varieties in Jeju island, Korea - <i>Chan Kyu Lim, Doo Gyeong Moon, Ki Cheol Seong, Chun Hwan Kim, Young Bin Jung, Kyo Sun Park, SeungYeob Song</i>

Characterization of transcriptional regulators in olive fruit at the last stage of ripening using RNA-seq - <i>María Carmen Gomez-Jimenez, Ruben Parra, Miguel Paredes</i>
Transcriptomes of the mature-fruit abscission in <i>Olea europaea</i> L - <i>Ruben Parra, Jose A. Gil-Amado, Miguel A. Paredes, María Carmen Gomez-Jimenez</i>
Pattern of deposition of cell wall polysaccharides, AGPs and EXTs during mature-fruit abscission in olive - <i>María Carmen Gomez-Jimenez, Ruben Parra, Miguel Paredes</i>
Phenolics behavior in salt stressed 'Leccino' olive: a focus on fruit mesocarp - <i>Samuele Moretti, Alessandra Francini, Antonio Minnoccio, Maurizio Servili, Stefania Urbani, Luca Sebastiani</i>
Biological and technological properties of 'Arbequina' cultivar grown in Montenegro - <i>Mirjana Adakalić, Biljana Lazović, Tatjana Perović, Stoja Ljutica</i>
Architectural behavior reflecting cultivar difference between oil olive 'Koroneiki' and table olive 'Picholine' - <i>Annabi Khouloud, Mouna Ayachi, Ibtissem Laaribi, Foued Labidi, Ashraf Bouazza, Latifa Attia, Hassouna Gouta, Imen Zouari</i>
Nursery, Orchard Management & Use Of By-Products
Influence of (22S, 23S)-Homobrassinolide on olive rooting - <i>Virginia Ughini, Tomasso Ganino, Benedetta Chiancone, Deborah Beghè, Margherita Rodolfi, Andrea Fabbri, Raffaella Petruccelli</i>
Olive groves soil geochemistry of the island Brač - <i>Marko Runjić, Nevenka Mikac, Marija Romić, Željka Fiket, Niko Bačić, Mavro Lučić, Helena Bakić, Frane Strikić, Branimir Urlić, Tatjana Klepo, Zed Rengel, Slavko Perica</i>
The effectiveness of soil moisture in the cultivation of olive trees - <i>Georgios Arampatzis, Evangellos Hatzigiannakis, Nektarios Kourgiales, Georgios Psarras, Vasiliki Kinigopoulou, Andreas Panagopoulos, Georgios Koubouris</i>
How much soil volumetric water content is influenced by cover crops in an olive grove of Central Spain? - <i>Blanca Sastre, Ramón Bienes, Andrés García-Díaz</i>
The response of olive trees to Zn nutrition - <i>Isaac Zipori, Uri Yermiyahu, Yizhar Tugendhaft, Alon Ben-Gal, Arnon Dag</i>
Interpretation of leaf nitrogen content in superintensive olive orchards (<i>Olea europaea</i> L.; 'Arbequina') - <i>Josep Rufat, Amadeu Arbonés, Hemza Belguerri, Josep M Villar, Miquel Pascual</i>
Effect of mineral nitrogen fertilizers replacement with natural ores of fertilizers on growth and productivity of olive trees 'Koroneiki' - <i>Taha Fathy Ahmed El-Sharony, Mohamed H. M. Baiea, Shrief F. El-Giushy, Osama A. Amin, Eman Abd El-Moniem</i>
Seasonal dynamics and operational monitoring of hedgerow olive tree transpiration in response to applied water - <i>Francisco Santos, M. Manuela Correia</i>
The measurement of midday stem water potential in commercial olive orchards from La Rioja, Argentina, in controlling irrigation programs and regulated deficit irrigation - <i>Enrique Dalton, Andrea Calahorra</i>
Regulated deficit irrigation on table olive based on midday stem water potential during a sensitive phenological stage - <i>Alfonso Moriana, Mireia Corell, María José Martín-Palomo, Alejandro Galindo, Arturo Torrecillas, Ignacio Girón, Félix Moreno</i>
Water conditions in an olive orchard in south east Slovenia - <i>Vesna Zupanc, Milena Bučar-Miklavčič, Maja Podgornik, Vasilij Valenčič, Dominik Vodnik, Marina Pintar, Bojan Butinar</i>
Effect of several deficit irrigation schedules in the fruit set and fruit growth of olive trees in the Egypt North coast region - <i>Alfonso Moriana, Yahia I Mohamed, Mahmoud Abdel-Sattar</i>
Impact of different irrigation strategies on two cultivars of olive tree grown under super-intensive conditions on fruit production and olive oil quality - <i>Blanca Sastre, Alejandro Benito, Mngel Pérez, Alfredo Cuevas, Cristina de Lorenzo</i>
Humid regions: are they adequate for olive cultivars? - <i>Paula Conde, Juan José Villamil, Jonathan Dávila, Leandro Martinelli, Juliana Bruzzone, Cecilia Martínez, Mercedes Arias, Roberto Zoppolo, José Villamil</i>
Fruit load dominates transpiration patterns in olive - <i>Amnon Bustan, Alon Bel-Gal, Uri Yermiyahu, Arnon Dag, Isaac Zipori</i>
Late harvest date profoundly impacts cell wall metabolism of 'Arbequina' olives - <i>Isabel Lara Ayala, Eva Comabella, Jordi Graell</i>
Development of a quali-quantitative method to estimate olive fruit production during full bloom and after fruit setting - <i>Enrique Dalton, Andrea Calahorra</i>
Impact of thinning on fruit properties of olive 'Kalamon' and 'Manzanilla' - <i>Antigoni Sentouka, Chrsi Sergentani, Emmanouil Markakis, Georgios Koubouris</i>
Effect of annual vs biennial pruning in 'Arbequina' and 'Frantoio' - <i>Paula Conde, Leandro Martinelli, Juan José Villamil, Juliana Bruzzone, Cecilia Martínez, Danilo Cabrera, Mercedes Arias, Roberto Zoppolo, José Villamil</i>
Evaluation of four rejuvenation pruning methods on olive tree vegetative growth and yield - <i>Raed Ahmad, Salam Ayoub</i>
Treatments to increase flower initiation in young olive trees (<i>Olea europaea</i> L. 'Cornicabra'): phosphorous application, girdling, growth regulators and summer pruning - <i>Ana Centeno, María Gomez del Campo</i>
Modeling the response of olive trees (<i>Olea europaea</i> L.) to mechanical pruning: effect of tree vigor and fruiting shoot type - <i>Tiziano Caruso, Placido Volo, Laura Macaluso, Francesco Paolo Marra</i>
Pruning management in a high-density olive orchard in central Italy - <i>Enrico Maria Lodolini, Serena Polverigiani, Davide</i>

<i>Grossetti, Davide Neri</i>
The suitability of different olive cultivars for intensive conditions in central Tunisia - <i>Mouna Ayachi, Hassouna Gouta, Foued Labidi, Latifa Attia, Khouloud Annabi, Imen Zouari, Ashraf Bouazra, Ibtissem Laaribi</i>
Olive tree growing in Herzegovina - <i>Ante Biško, Marijo Leko, Marija Prlić, Mario Barbarić</i>
First results with super high density olive growing in the Republic of Croatia - <i>Ante Biško, Bernardica Milinović, Predrag Vujević, Ante Ivanović, Dunja Halapija-Kazija, Tvrtko Jelačić, Danijel Čiček</i>
Yield and harvesting efficiency, chemical oil quality of cultivars 'Arbequina' and 'Arbosana' by straddle harvester in two Apulian growing areas - <i>Gaetano Vivaldi, Salvatore Camposeo</i>
Effect of mechanical harvesting in two table olive cultivars grown under super high density conditions - <i>Ana Morales, Paz Suárez, Pilar Rallo, M del Rocío Jiménez, Laura Casanova</i>
A comparison between two materials for head clamping pads of olive tree shakers: first trials - <i>Bruno Bernardi, Sergio Castro-García, Gregorio L. Blanco Roldan, Souraya Benalia, Antonio Fazari, Giuseppe Zimbalatti</i>
Tracking olive fruit movement and twisting using video analysis during harvesting process - <i>Francisco José Castillo-Ruiz, Sergio Tombesi, Daniela Farinelli</i>
Damages on several varieties of two over-the-row harvesters in high-density olive orchards - <i>Enrico Maria Lodolini, Serena Polverigiani, Michele Sirugo, Davide Neri</i>
Development and validation of a real-time PCR assay for the detection and quantification of <i>Verticillium dahliae</i> in the soil: the case of Verticillium Wilt of Olive (VWO) - <i>Yaakoub Gharbi, Emna Bouazizi, Manel Cheffi, Radhouane Gdoura, Mohamed Ali Triki, Mohamed Ghrab</i>
Effects of <i>Spilocaea oleagina</i> attack on the vegetative and productive activities of olive and the evaluation of the efficacy of different fungicides on its control - <i>Roberto Buonauro, Tommaso Frioni, Raed Alhariri, Andrea Paoletti, Maurizio Micheli, Chiaraluce Moretti, Franco Famiani</i>
The efficacy of fungicides from different chemical groups for <i>Spilocaea oleagina</i> control - <i>Tatjana Perović, Jadranka Pejčić, Vedrana Komlen, Biljana Lazović, Mirjana Adakalić</i>
The biology of black scale (<i>Saissetia oleae</i> (Olivier)) and impacts of environmental and biotic factors on scale populations in olive groves and citrus orchards in Australia - <i>Phoung Sa, Robert Spooner-Hart, Markus Riegler, Paul Holford, Andrew Beattie</i>
Determining origins of populations of the Australian olive lace bug, <i>Froggattia olivinia</i> (Hemiptera: Tingidae) using Cytochrome Oxidase I (COI) as a mitochondrial molecular marker - <i>Robert Spooner-Hart, Jocelyn King</i>
Influence of different treatments on olive fly presence in Croatian Istria - <i>Sara Godena, Ivana Dminić Rojnić, Bernardina Hlevnjak Pastovicchio, Marin Krapac, Tatjana Perović, Dean Ban</i>
Organic plant protection measures against olive moth (<i>Prays oleae</i> Bern.) - <i>Ivana Dminić Rojnić, Hrvoje Radović, Sara Godena, Kristijan Damijanić</i>
<i>Prays oleae</i> Bern (Lepidoptera, Yponomeutidae), important pest of olive fruit - <i>Tatjana Perović, Snježana Hrnčić</i>
<i>Bactrocera oleae</i> Gmel. responses to volatile compounds from yeasts associated with olives and olive fruit fly - <i>Elda Vitanović, Kyria Boundy-Mills, Susan Ebeler, Pavla Polaskova, Hannah Burrack, Jeffrey Aldrich, Dan Flynn, Frank Zalom</i>
Biological control of olive anthracnose - <i>Franco Nigro, Ilaria Antelmi, Rossella Labarile, Valentina Sion, Isabella Pentimone</i>
A sporadic pest for 'Gemlik' olive trees in Bursa (Turkey): olive fly, <i>Bactrocera oleae</i> - <i>Gamze Mertoglu, Nabi Alper Kumral</i>
Arthropod fauna in olive orchards of Zadar County - <i>Kristijan Franin, Šime Marčelić, Tomislav Kos</i>
Table Olives, Oil Technology, Quality & Health Promoting Properties
Determining the oil and water content of single olives using nuclear magnetic resonance spectroscopy - <i>Jeff Walton, John Gardner, Louise Ferguson</i>
Synchronous fluorescence and chemometrics for screening for the minor components of virgin olive oil - <i>Giacomo Squeo, Francesco Caponio, Vito Michele Paradiso, Carmine Summo, Antonella Pasqualone, Ewa Sikorska</i>
Mobile Olive Oil Processing Unit (MOOPU) for protection minor varieties by producing high quality olive oil with their minor constituents - <i>Mücahit Taha Özkaya, Feyza Ustunel, Dilek Sivri Özay, Guler Demir, Esmaeil Ghanbarishendi</i>
Development of method for multielement analysis of olive oil by ICPMS - <i>Filip Pošćić, Željka Fiket, Niko Bačić, Mavro Lučić, Nevenka Mikac, Maja Jukić Špika, Mirella Žanetić, Zed Rengel, Slavko Perica</i>
Possible correlations between chemical compositions and near infrared spectra of authentic extra virgin olive oils from Turkey - <i>Gizem Özınanç, Somer Bekiroglu, Ibrahim Özdemir, Cagdas Dag</i>
Assessment of the olive diversity for metabolites associated to the nutritional and sensory quality of virgin olive oil - <i>Angjelina Belaj, Ana G. Pérez, Lorenzo León, Raúl de la Rosa, Carlos Sanz</i>
Olive oleic acid proportion is influenced by different dimensions of the daily temperature oscillation, especially night temperature - <i>Georgina Paula Garcia Inza, Antonio Juan Hall, Maria Cecilia Rousseaux</i>
Elevated temperature affects vegetative growth and fruit oil concentration in olive trees - <i>Andrea Miserere, Georgina Paula Garcia Inza, Peter Searles, Maria Cecilia Rousseaux</i>
Chemical and sensory traits of monovarietal extra-virgin olive oil obtained from Sicilian cultivars/accessions - <i>Tiziano Caruso,</i>

<i>Filipa Grilo, Riccardo Lo Bianco, Laura Macaluso, Vito Armando Laudicina</i>
Olive oil quality of 'Arbequina' and 'Coratina' cultivars produced in Uruguay - <i>Barbara Ferronato, Mercedes Arias, Vivian Severino, Venancio Riella, Paula Conde, Juan José Villamil</i>
Quality and fatty acid profiles of monovarietal olive oils produced from irrigated groves in Qaa region, Lebanon - <i>Milad El Riachy, Lamis Chalak, Ghina Ms. Jebbawi, Ghinwa Ms. Hawi, Randa Ms. Massaad</i>
Properties of monovarietal olive oils of indigenous varieties of the Dubrovnik area - <i>Marina Barnjak Vukas, Sanda Desnica, Barbara Soldo</i>
Olive oil quality in cross bred progenies of 'Leccino' - <i>Massimo Mencuccini, Soraya Mousavi, Nikolas Aggelou, Federica Baglivo, Sonia Venacore, Roberto Mariotti, Maria Breidi, Marina Bufacchi</i>
Enhancement of Moroccan olive oil physico-chemical and nutritional quality towards the definition of appropriate olive fruits harvest time: Case of Meknès region - <i>Aadil Bajoub, Gabriel Beltran, Noureddine Ouazzani, Lucía Olmo García, El Amine Aja, Hafida Hanine, Alberto Fernández Gutiérrez, Alegría Carrasco Pancorbo</i>
Olive fruit characteristics changes and oil accumulation in 'Oblica' and 'Leccino' cultivars during ripening - <i>Maja Jukić Špika, Mirella Žanetić, Klara Kraljić, Igor Pasković, Dubravka Škevin</i>
Impact of different malaxation conditions on the overall quality of virgin olive oils from 'Oblica' - <i>Mirella Žanetić, Maja Jukić Špika, Renato Stipišić, Mihaela Čelan, Sandra Svilović</i>
Correlation of predictor variables to fatty acid content in olive fruits using multiple regression analysis - <i>Hakan Cetinkaya, Muhittin Kulak, Mehmet Koç, Ferudun Koçer</i>
Phenolic profiling of olive fruits after the use of different mineral fertilization in rain-fed conditions - <i>Imen Zouari, Mouna Ayachi Mezghani, Beligh Mechri, Faouzi Attia, Foued Labidi, Latifa Attia, Khouloud Annabi, Ibtissem Laaribi, Mohamed Hammami</i>
Morphological and histological characterization of table olives 'Gordal Sevillana' bruising - <i>M Del Rocio Jimenez, Pilar Rallo, Maripaz Suarez, Ana Maria Morales-Sillero, Laura Casanova</i>
Towards controlled fermentation of table olives: lab starter driven processing in an automatized pilot processing plant - <i>Marco Campus, Emanuele Cauli, Efisio Scano, Fabio Piras, Roberta Comunian, Antonio Paba, Elisabetta Daga, Piergiorgio Sedda, Alberto Angioni, Roberto Zuru</i>
Comparative study of bioactive substances in black ripe olives elaborated in Spain and the USA - <i>Pedro García-García, Manuel Brenes-Balbuena, Concepción Romero-Barranco</i>
Evaluation of the Miller's technique for the determination of the bioaccessibility of ripe table olive mineral nutrients - <i>Antonio López-López, José María Moreno-Baquero, Antonio Higinio Sánchez-Gómez, Antonio Garrido Fernández</i>
How much anthracnose olive rot (<i>Colletotrichum acutatum</i> s.s.) is acceptable for obtaining extra virgin oil? - <i>Carolina Leoni, Juan José Villamil, Leandro Martinelli, Alejandro Fredes, Juliana Bruzzone, Cecilia Martínez, María José Montelongo, Paula Conde</i>
Innovating of fruit, nut, oil, leaf, drink, pickles at wet storage without preservatives of olive, tea, traditional foods, etc - <i>Yasuyuki Yamada, Keiko Yamada</i>
Economy & Marketing
Long-term feasibility of Mediterranean olive production systems - <i>Teodora Stillitano, Giacomo Falcone, Anna Irene De Luca, Emanuele Spada, Giovanni Gulisano, Alfio Strano</i>
Olive growing scenarios of soil management: integrating environmental, economic and social indicators in a life cycle perspective - <i>Anna Irene De Luca, Nathalie Iofrida, Giacomo Falcone, Teodora Stillitano, Giovanni Gulisano</i>
Impact of parcels dispersion on production costs - <i>Sergio Colombo, Manuel Perujo-Villanueva</i>
Olive yield that covers production costs in Uruguay - <i>Vivian Severino, Mercedes Arias, Felix Fúster, Barbara Ferronato, Venancio Riella, Jorge Alvarez</i>
Comparison of Marmara and Gediz regions in terms of table olive production in Turkey - <i>Murat Ozaltas, M. Kerem Savran, Mehmet Ulas, Serkan Kaptan, Unal Kaya, Haluk Soyuer</i>
Determining the age of olive trees in order to improve Montenegrin olive oil brand - <i>Ćazim Alković</i>